

Listing of the Claims:

1. (Previously Presented) A mobile terminal having a first receiver for receiving a first signal from a first communications network including a communication service comprising:
a second receiver within said mobile terminal for receiving a second signal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service, wherein the mobile terminal determines a receiving schedule of the first receiver based on the complementary information.
2. (Previously Presented) A terminal according to claim 1, comprising a controller for configuring said first receiver according to said complementary information.
3. (Previously Presented) A terminal according to claim 1, wherein said first receiver is enabled to receive said first signal in response to said complementary information.
4. (Previously Presented) A terminal according to claim 1, wherein said complementary information comprises configuration data for configuring the first receiver.
5. (Previously Presented) A terminal according to claim 1, comprising storage means for storing user preferences.
6. (Previously Presented) A terminal according to claim 5, comprising decision means for deciding whether said second signal should enable said first receiver in dependence on the stored user preferences.
7. (Previously Presented) A terminal according to claim 1, wherein said first signal is a digital video broadcasting signal, and said first receiver is a digital video broadcasting receiver.

8. (Previously Presented) A terminal according to claim 1, wherein said second signal is a global system for mobile signal, and said second receiver is a global system for mobile receiver.

9. (Previously Presented) A terminal according to claim 1, wherein said second signal is a general packet radio service signal, and said second receiver is a general packet radio service receiver.

10. (Previously Presented) A terminal according to claim 1, wherein the first signal includes a data file, said terminal being actuatable in response to said complementary information to receive said data file.

Claims 11-17 (cancelled).

18. (Previously Presented) A method of receiving a first signal by a first receiver of a mobile terminal from a first communications network, wherein said first communications network includes a communication service, the method comprising the steps of:

receiving a second signal with a second receiver of said mobile terminal, said second signal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service, wherein the mobile terminal determines a receiving schedule of the first receiver based on the complementary information.

19. (Previously Presented) A method according to claim 18, comprising receiving said first signal in accordance with said complementary information.

20. (Previously Presented) A method according to claim 18, comprising storing user preferences.

21. (Previously Presented) A method according to claim 20, comprising deciding whether said second signal should be received in dependence on said stored user preferences.

Claims 22-37 (cancelled).

38. (Previously Presented) A method of receiving a first signal with a mobile terminal transmitted from a first communications network including a communication service, the method comprising the steps of:

receiving with said mobile terminal a second signal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service, wherein the mobile terminal determines a receiving schedule based on the complementary information; and

combining said information from said second signal with content in said first signal.

39. (Previously Presented) A method as claimed in claim 38, wherein said complementary information comprises personal data, said data being combined with generic data forming said content of said first signal.

40. (Previously Presented) A method as claimed in claim 38, wherein said second signal further comprises configuration data relating to said first signal identifying said content.

Claims 41-44 (Cancelled).

Claims 45-46 (Withdrawn).